



भारत का राजपत्र

The Gazette of India

असाधारण
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (i)
PART II—Section 3—Sub-section (i)

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 292]

नई दिल्ली, मंगलवार, जुलाई 4, 1995/आषाढ़ 13, 1917

No. 292]

NEW DELHI, TUESDAY, JULY 4, 1995/ASADHA 13, 1917

उद्योग मंत्रालय

(औद्योगिक विकास विभाग)

(एक्सप्लोसिव डेस्क)

अधिवचना

नई दिल्ली, 4 जुलाई, 1995

सा का.नि. 533 (अ) :—केन्द्रीय सरकार, विस्फोटक अधिनियम, 1884 (1884 का 4) की धारा 14 की उप-धारा 2 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए एतद्वारा मैसर्स आयाल एंड नैचुरल गैस कारपोरेशन लि. सामग्री अधिग्रहण (आयात) तथा योजना अनुभाग न्यू कारपोरेट बिल्डिंग, चौथी मंजिल, नार्थ ब्लॉक, तेल भवन, देहरादून, को नाजीरा, मद्रास तथा अहमदाबाद में प्रयोग के लिए मैसर्स गोयक्स इंटरनेशनल, यू.एस.ए. से निम्नलिखित विस्फोटकों के आयात के लिए 31(2) के प्रवर्तन से छूट देती है :—

नाजीरा में प्रयोग के लिए :

विवरण तथा आई.ए.टी.ए.यू.एन. सं. / पार्ट सं.

मात्रा संख्या में

कलास या
डिविजन

1

2

3

चाजिस, शेपड, कमर्शियल

1. 3-3/8" एच.एस.सी. चाजिस (एलाइनमेंट वाशर के साथ) (पार्ट सं.
022 3125-022) (यू.एन. सं. 0441/118)

5400

(पांच हजार चार सौ)

1.4 एस

1	2	3
2. 1-9/16" आर. टी. जी. पलस. रिबन पीएमएल आर. डी. एक्स (यू. एन. सं. 0441/118) (पार्ट सं. 021-1562-204)	8000 (आठ हजार)	1 4 एस
डेटोनेटर्स, इलेक्ट्रिक फार बलास्टिंग		
3. डेटोनेटिंग फ्यूजिस, जी- 521 विष 12" लिडस (पार्ट सं. 016-0111-004) (यू. एन. सं. 0436/130)	300 (तीन सौ)	1 4 एस
कॉर्ड डेटोनेटिंग		
4. हार्मटाईज्ड डेटोनेटिंग कॉर्ड, 80 ग्रेड आर डी एक्स पैकड फार 1.4 डी शिपमेंट (पार्ट सं. 016-0325-015) (यू. एन. सं. 0289/124)	20 रोलज (बीस)	1 4 डी
5. हार्मटाईज्ड डेटोनेटिंग कॉर्ड (रिबन) 40 ग्रेड आर डी एक्स, पैकड फार 1.4 डी/शिपमेंट (पार्ट सं. 016-0325-024 (यू. एन. सं. 0289/124)	9 रोलज (नौ)	1 4 डी
मद्रास में प्रयोग के लिए :		
चाजिस, शेपड, कमशियल :		
1. 3-3/8" एचएससी चाजिस, आर. डी. एक्स (विद एलाईनमेंट वाशर) (पार्ट सं. 022-3125-110) (यू. एन. सं. 0441/118)	1000 (एक हजार)	1.4 एस
2. कॉर्ड डेटोनेटिंग हार्मटाईज्ड डेटोनेटिंग कॉर्ड, 80 ग्रेड आर डी एक्स पैकड फार 1.4 डी शिपमेंट (पार्ट सं. 016-0325-015) (यू. एन. सं. 0289/124)	8 रोलज (आठ)	1.4 डी
3. डेटोनेटर्स, इलेक्ट्रिक फार बलास्टिंग डेटोनेटर्स, जी-22 या बराबर 475 डेग फिट. 20,000 पी एम आई. (पार्ट सं. 016-101-006) (यू. एन. सं. 0456/130)	50 (पञ्चाम)	1.4 एस
अहमदाबाद में प्रयोग के लिए चाजिस, शेपड, कमशियल		
1. 4" एच. एस. सी. चाजिस, पीएमएल 23 ग्राम आर. डी. एक्स (विद एल-ईनमेंट वाशर) (पार्ट सं. 022-4000-022) (यू. एन. सं. 0441/118)	25,500 (पच्चीस हजार पांच सौ)	1.4 एस
2. 4" एच एस सी चार्ज, आर. डी. एक्स फार 5-1/2" केमिंग (विद एलाईनमेंट वाशर) (पार्ट सं. 022-4000-022) (यू. एन. सं. 441/118)	3,000 (तीन हजार)	1.4 एस
3. कॉर्ड डेटोनेटिंग हार्मटाईज्ड डेटोनेटिंग कॉर्ड, 80 ग्रेड आर डी एक्स पैकड फार 1.4 डी शिपमेंट (पार्ट सं. 016-0325-015) (यू. एन. सं. 0289/124)	40 रोलज (चालीस)	1.4 डी
4. डेटोनेटर, जी-21 या बराबर 475 डेग फिट 20,000 पीएमआई (पार्ट सं. 016-0111-004) (यू. एन. सं. 0456/130)	1500 (पन्द्रह सौ)	1.4 एस
5. डेटोनेटर, जी-22 या बराबर 475 डेग फिट 20,000 पीएमआई (पार्ट सं. 016-0101-006) (यू. एन. सं. 0456/130)	500 (पांच सौ)	1.4 एस

1	2	3
आर्टीकल, एक्सप्लोसिव, एन.ओ.एस.		
6. ट्यूबिंग कट्टर एसेम्बली, 2-1/8" आरडी एक्स डब्ल्यू/डेट (पार्ट सं. 024-2125-002 एम (यू.एन. सं. 0349/103)	4 (चार)	1.4 एस
7. ट्यूबिंग कट्टर एसेम्बली 1-11/16 आरडी एक्स डब्ल्यू/डेट (पार्ट सं. 024-1687-002 एम) (यू.एन. सं. 0349/103)	4 (चार)	1.4 एस

निम्नलिखित शर्तों पर :—

1. नागरिक विमानन महानिदेशालय और भारतीय अंतर्राष्ट्रीय हवाई अड्डा प्राधिकरण से आवश्यक स्वीकृति प्राप्त की जाए और उपर्युक्त दो प्राधिकरणों द्वारा लगाई गई शर्तों, यदि कोई हो, का सख्ती से पालन किया जायेगा,
2. केवल प्रभाग 1.4 के अनुरूप निर्मित विस्फोटकों का ही आयात किया जायेगा,
3. नियम 31 के उप नियम (2) के सिवाय विस्फोटक नियम, 1983 यथा अंतिम विस्फोटकों का कब्जा, परिवहन, प्रयोग और आयात से संबंधित सुसंगत प्रावधानों का कड़ाई से पालन किया जायेगा,
4. विस्फोटक नियम, 1983 के अधीन अनुज्ञाप पत्रों पर संख्या में विस्फोटक बैंड विमानपत्तन पर तैयार रखे जायेंगे जिससे कि विस्फोटकों को वायुयान से उसके उतरते ही शीघ्रता से हटाया जा सके।
5. वायुयान को विमानपत्तन पर दूरस्थ स्थान पर खड़ा किया जाएगा और विस्फोटकों का वायुयान से वनों में अंतरण आरम्भ करने से पहले महानिदेशक, नागरिक विमानन के परामर्श से पर्याप्त संख्या में सुरक्षा गार्डों का प्रबन्ध कर वायुयान और विस्फोटक बैंड के चारों ओर कम से कम 500 मीटर क्षेत्र को घेर लिया जायेगा। इंतजाम तब तक जारी रहेगा जब तक कि अंतरण पूरा नहीं कर लिया जाता है और सम्यक रूप से बंद बैंड स्थल नहीं छोड़ देती है। घेराव क्षेत्र के अन्दर कोई धूम्रपान और खुलो बत्ती के उपयोग की अनुमति नहीं दी जाएगी, और
6. उपर्युक्त विस्फोटकों को ले जा रही बैंड विस्फोटक नियम, 1983 के अधीन अनुज्ञाप भण्डारण सौजन्य को और अक्षर होगी और रास्ते में कोई अनुचित विलंब नहीं किया जायेगा और परिवहन के दौरान सभी सुसंगत नियमों और स्थानीय विनियमों का पालन किया जायेगा।

[फा.सं 2/16/94-डीपीआर/ई जो जी एस]

ए.ई. अहमद, सचिव

MINISTRY OF INDUSTRY

(Department of Industrial Development)

(Expl. Desk)

NOTIFICATION

New Delhi, the 4th July, 1995

G.S.R. 533(E) :—In exercise of the powers conferred by sub-section 2 of section 14 of the Explosives Act, 1884 (4 of 1884), the Central Government hereby exempts M/s. Oil and Natural Gas Corpn. Ltd., Material Acquisition (Import) and Planning Section, New Corporate Building, 4th Floor, North Block, Tel Bhavan, Dehradun from observance of rule 31(2) of the Explosives Rules, 1983, for import of following explosives from M/s. Goex International, USA for use in Nazira, Madras and Ahmedabad.

For Use in Nazira:

Description and IAIA UN No. /Part No.	Qty. Nos.	Class or Division
(1)	(2)	(3)
CHARGES, SHAPED, COMMERCIAL		
1. 3—3/8" HSC charges, RDX (with alignment washer Part No. 022 3125—022) (UN No. 0441/118)	5400 (fifty four hundred)	1.4 S

(1)	(2)	(3)
2. 1—9/16" RTG, Plus Ribbon, PML RDX (UN No. 0441/118) (Part No. 021—1562—204)	8000 (eight thousands)	1.4S
DETONATORS, ELECTRIC FOR BLASTING		
3. Detonating fuzes, G-21 with 12" leads (Part No. 016—0111—004) (UN No. 0456/130).	300 (three hundred)	1.4S
CORD DETONATING		
4. Hermatised Detonating cord, 80Gr. RDX, packed for 1.4D shipment (Part No. 016—0325—015) (UN No. 0289/124)	20 Rolls, (twenty)	1.4D
5. Hermatised Det. cord (Ribbon), 40 Gr. RDX, packed for 1.4D shipment (Part No. 016—0325—024) (UN No. 0289/124)	9 Rolls (nine)	1.4D
FOR USE IN MADRAS : CHARGES, SHAPED, COMMERCIAL :		
1. 3—3/8" HSC charges, RDX (with alignment washer , (Pt. No. 022—3125—110) (UN No. 0441/118)	1000 nos. (one thousand)	1.4S
2. CORD, DETONATING : Hermatised Detonating Cord, 80 Gr. RDX, packed for 1.4D shipment (Pt. No. 016—0325—015) (UN No. 0289/124)	8 Rolls (eight)	1.4D
3. DETONATORS, ELECTRIC FOR BLASTING Detonator, G-22 or equiv. 475 Deg. F, 20,000 PSI (Pt. 016—0101—006) (UN No. 0456/130)	50 nos. (fifty)	1.4S
FOR USE IN AHMEDABAD :		
CHARGES, SHAPED, COMMERCIAL :		
1. 4" HSC Charges, PML, 23 gm RDX (with alignment washer Pt. No. 022—4000—022) (UN No. 0441/118).	25,500 nos. (twenty five thousand five hundred)	1.4S
2. 4" HSC Charge, RDX for 5-1/2" casing (with alignment washer Pt. No. 022—4000—022) (UN No. 0441—118)	3,000 nos. (three thousand)	1.4S
CORD, DETONATING :		
3. Hermatised Detonating cord, 80 Gr. RDX, packed for 1.4D shipment (Pt No. 016—0325—015) (UN No. 0289/124)	40 Rolls (forty)	1.4D

(1)	(2)	(3)
DETONATORS, ELECTRIC FOR BLASTING		
4. Detonator, G-21 or equiv. 475 Deg. F, 20,000 PSI (Pt. 016—0111—004) (UN No. 0456/130)	1500 (fifteen hundred)	1.4S
5. Detonator, G-22 or equiv. 475 F 20000 PSI (Pt. 016—0101—006) (UN No 0456/130)	500 (five hundred)	1.4S
ARTICLES, EXPLOSIVE, N.O.S.		
6. Tubing cutter Assy., 2—1/8" RDX, W/Det. (Pt. No. 024—2125—002M) (UN No. 0349/103)	4 (four)	1.4S
7. Tubing cutter Assy., 1—11/16" RDX, W/Det. (Pt. 024—1687—002M) (UN No. 0349/103)	4 (four)	1.4S

Subject to the following conditions :—

- (1) necessary clearance are obtained from the Director General Civil Aviation and International Airport Authority of India and conditions if any imposed by the above two authorities shall be strictly complied with;
 - (2) the explosives conforming to Division 1.4 only shall be imported.
 - (3) the relevant provisions relating to the possession, transport, use and import of explosives, as contained in the Explosives Rules, 1983, except sub-rule 2 of rule 31 shall be strictly complied with;
 - (4) adequate number of explosives van, licensed under the Explosives Rules, 1983, shall be kept ready at the airport so that the explosives can be removed from the aircraft after its landing expeditiously; -
 - (5) the aircraft shall be parked at a remote place at the airport and an area of atleast 500 metres around the aircraft and explosives van shall be cordoned off by providing adequate number of security guards in consultation with the Director General of Civil Aviation before the transfer of explosives from Aircraft to van is started. The arrangement shall continue till the transfer is completed and the van duly locked leaves the site;
- No smoking or use of naked light shall be permitted within the cordoned area, and;
- (6) the vans carrying above explosives shall proceed to the storage magazines licensed under the Explosives Rules, 1983, and no undue delay shall be made on the way and all relevant rules and local regulations shall be observed during the transport.

[F. No. 2/16/94-DPR/EGGS]

A.E. AHMAD, Jt. Secy.

अधिमूचना

नं० निम्नो, 4 जुलाई, 1995

भा.का.नि. 534 (अ) . —केन्द्रीय सरकार, विस्फोटक अधिनियम, 1884 (1884 का 4) की धारा 14 की उपधारा 2 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए एतद्वारा मैसर्स आर्थल इंडिया लिमिटेड, पो. बलियाजान, जिला बिनरगढ़ (आसाम) को मैसर्स इटुडेस एंड प्राइवेट लिमिटेड, फ्रांस से निम्नलिखित विस्फोटकों के आयात के लिए विस्फोटक नियम, 1983 के नियम 31(2) के प्रवर्तन में छूट देती है .—

क्रम सं.	वस्तु का नाम पाठे व यू.एन. सं.	मात्रा संख्या में	वक्तों की संख्या
(1)	(2)	(3)	(4)
1.	नोनामिनिट एन.एस. एन. पाठे सं. बी-0770353 डी यू.एन.सं. 0441 क्लास 1.4 एस	2 (दो)	1 (एक)

(1)	(2)	(3)	(4)
2. कोलाईडिंग टूल एच.एम.एक्स पार्ट नं. बी-077056 डी यू.एन. नं. 0441 क्लास 1.4 एम		2 (दो)	1 (एक)
3. 300 एफ 15 केप्सी फुल डेट पार्ट नं. पी-190860 डी यू.एन. नं. 0367 क्लास 1.4 एम		50 (पचास)	2 (दो)

निम्नलिखित शर्तों पर :—

1. नागरिक विमानन महानिदेशालय और भारतीय अंतर्राष्ट्रीय हवाई अड्डा प्राधिकरण से आवश्यक स्वीकृति प्राप्त की जाये और उपर्युक्त दो प्राधिकरणों द्वारा लगाई गई शर्तों, यदि कोई हों, का मख्ती से पालन किया जायेगा,
2. केवल प्रभाग 1.4 के अनुरूप निर्मित विस्फोटकों का ही आयात किया जायेगा,
3. नियम 31 के उप नियम (2) के सिवाय विस्फोटक नियम, 1983 यथा अंतर्विष्ट विस्फोटकों का कब्जा, परिवहन, प्रयोग और आयात से संबंधित सुसंगत प्रावधानों का कड़ाई से पालन किया जायेगा,
4. विस्फोटक नियम, 1983 के अधीन अनुज्ञप्त पर्याप्त संख्या में विस्फोटक बैं विमानपत्तन पर तैयार रखे जायेंगे जिससे कि विस्फोटकों को वायुयान से उसके उतरने ही शीघ्रता में हटाया जा सके,
5. वायुयान को विमानपत्तन पर दूरस्थ स्थान पर खड़ा किया जायेगा और विस्फोटकों का वायुयान से बैंनों में अंतरण आरम्भ करने से पहले महानिदेशक, नागरिक विमानन के परामर्श से पर्याप्त संख्या में सुरक्षा गार्डों का प्रबन्ध कर वायुयान और विस्फोटक बैं के चारों ओर कम से कम 500 मीटर क्षेत्र को घेर लिया जायेगा। इंतजाम तब तक जारी रहेगा जब तक कि अंतरण पूर्ण नहीं कर लिया जाता है और सम्यक् रूप से बंद बैं स्थल नहीं छोड़ देती है। घेराबंद क्षेत्र के अन्दर कोई धूम्रपान और धुली बत्ती के उपयोग की अनुमति नहीं दी जाएगी, और
6. उपर्युक्त विस्फोटकों को ले जा रही बैं विस्फोटक नियम 1983 के अधीन अनुज्ञात भण्डारकरण मैगजीन की ओर अग्रसर होगी और रास्ते में कोई अनुचित विलंब नहीं किया जायेगा और परिवहन के दौरान शर्तों सुसंगत विषय और स्थानीय विनियमों का पालन किया जायेगा।

[फ.स. 2/16/94-डीपीआर/ईजीजीएस]

ए. ई. अहमद, संयुक्त सचिव

NOTIFICATION

New Delhi, the 4th July, 1995

G.S.R. 534(E).—In exercise of the powers conferred by sub-section 2 of section 14 of the Explosives Act, 1884 (4 of 1884), the Central Government hereby exempts M/s. Oil India Ltd., P.O. Duliajan, Distt. Dibrugarh (Assam) from observance of rule 31(2) of the Explosives Rules, 1983, for import of following explosives from M/s. Etudes ET Productions, France.

Name & Description	Qty. Nos.	Boxes
(1)	(2)	(3)
1. Colliding Tool HMX Part No. B-077055 D UN No. 0441, Class 1.4S	2(two)	1 (one)
2. Colliding Tool HNS Part No. B-077056 D UN No. 0441, Class 1.4S	2 (two)	1 (one)
3. 300 F 15KPSI Fuz. Det Part No. P-190860 D UN No. 0367 Class 1.4S	50 (fifty)	2 (two)

st to the following conditions:—

- (1) necessary clearance are obtained from the Director General Civil Aviation and International Airport Authority of India and conditions if any, imposed by the above two authorities shall be strictly complied with;
- (2) the explosives conforming to Division 1.4 only shall be imported.
- (3) the relevant provisions relating to the possession, transport, use and import of explosives, as contained in the Explosives Rules, 1983, except sub-rule 2 of rule 31 shall be strictly complied with;
- (4) adequate number of explosives vans licensed under the Explosives Rules, 1983, shall be kept ready at the airport so that the explosives can be removed from the aircraft after its landing expeditiously;
- (5) the aircraft shall be parked at a remote place at the airport and an area of atleast 500 metres around the aircraft and explosives van shall be cordoned off by providing adequate number of security guards in consultation with the Director General of Civil Aviation before the transfer of explosives from Aircraft to van is started. The arrangement shall continue till the transfer is completed and the van duly locked leaves the site;

No smoking or use of naked light shall be permitted within the cordoned area, and;

- (6) the van carrying above explosives shall proceed to the storage magazines licensed under the Explosives Rules, 1983, and no undue delay shall be made on the way and all relevant rules and local regulations shall be observed during the transport.

[F. No. 2/16/94-DPR/EGGS]

A. E. AHMAD, Jt. Secy.

अधिसूचना

नई दिल्ली, 4 जुलाई, 1995

मा.का.नि. 535 (अ) :—केन्द्रीय सरकार विस्फोटक अधिनियम 1884 (1884 का 4) की धारा 14 की उपधारा 2 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए एतद्वारा मैसर्ज आथल एंड नैचुरल गैस कार्पोरेशन लि. सामग्री अधिग्रहण (आयात) तथा योजना अनुभाग न्यू कारपोरेट बिल्डिंग, चौथी मंजिल, नार्थ ब्लॉक, नेशनल भवन, देहरादून को अहमदाबाद तथा नाजीरा में प्रयोग के लिए मैसर्ज ओशन आगल टर्म्ज रैंक यू.एस.ए. से निम्नलिखित विस्फोटकों के आयात के लिए नियम 31(2) के प्रवर्तन से छूट देती है :—

अहमदाबाद में प्रयोग के लिए :

विवरण तथा आई.ए.टी.ए. /यू.एन. नं. पार्ट सं.	मात्रा	क्लास या डिविजन
1	2	3
चार्जिस शेपड, कामशियल		
1. परफोरेटर, 1-11/16" "शो गन स्ट्रीप आर.डी.एक्स 325 डेग, एफ--20000 पी.एम.आई. अवराशन रेसिस्टेंट प्लाय स्टील केस, पी.एम.एल. (पार्ट सं. एस टी पी-1687-301) (यू.एन. सं. 0441/118)	15000 (पन्द्रह हजार)	1.4 एम्
2. परफोरेटर, 4" टैग डी पी 19 थाम 325 डेग फिट 15000 पीएमआई 9/एसपीएफ (पार्ट सं. -एचएससी-4000-302) (यू.एन. सं. 0441/118)	20000 (बीस हजार)	1.4 एम्
कारट्रीजिस, पावर डिवाइस		
3. ब्रेकर # 20 पावरचार्ज (पार्ट सं. 6000-000-050) (यू.एन. सं. 0323/116)	50 (पचास)	1.4 एम्

1	2	3
4. इग्नीटर बेकर ई-4 इग्नीटर एसैम्बली (पार्ट सं. 6000-000-005) (यू.एन. सं. 0454/158)	50 (पचास)	1.4 एस
5. सकैन्डी इग्नीटर (पार्ट सं. 6000-000-060) (यू.एन. सं. 0454/158)	50 (पचास)	1.4 एस

नाजीरा में प्रयोग के लिए :

चाजिस, जेपड, कमशियल

1. परफोरेटर 1-11-16" शो गन स्ट्रीप आर.डी.एक्स 325 डेज फिट 20,000 पीएसआई अक्वराशन रेसिसटेंट अलाय स्टील केस, पी.एम.एल. (पार्ट सं. एसटीपी-1687-301) (यू.एन. सं. 0441-118)	16000 (सोलह हजार)	1.4 एस
2. परफोरेटर 3-3/8" टेग गुड होल 325 डेज फिट 15000 पी.एस.आई. (पार्ट सं. एचएससी-4000-311 जीएच) (यू.एन. सं. 0441/118)	3600 (छत्तीस सौ)	1.4 एस

डेटोनेटर, इलैक्ट्रीक विस्फोट के लिए :

3. डेटोनेटर एसैम्बली 400 डेज फिट 20000 पीएसआई फार शो गन चाजिस (रेसिसटोराजड) नो एजीड टेप (पार्ट सं. डेट-3050-001) (यू.एन. सं. 0456/130)	1000. (एक हजार)	1.4 एस
4. डेटोनेटर एसैम्बली जी-21 (पार्ट सं. डेट-3051-021) (यू.एन. सं. 0456/130)	1100 (ग्यारह सौ)	1.4 एस

निम्नलिखित शर्तों पर :—

1. नागरिक विमानन महानिदेशालय और भारतीय अन्तर्राष्ट्रीय हवाई अड्डा प्राधिकरण से आवश्यक स्वीकृति प्राप्त की जाये और उपर्युक्त दो प्राधिकरणों द्वारा लगाई गई शर्तों, यदि कोई हो, का सख्ती से पालन किया जाएगा,
2. केवल प्रभाग 1.4 के अनुरूप निमित्त विस्फोटकों का ही आयात किया जायेगा,
3. नियम 31 के उप नियम (2) के सिवाय विस्फोटक नियम, 1983 यथा अंतर्विष्ट विस्फोटकों का कब्जा, परिवहन, प्रयोग और आयात से संबंधित सुसंगत प्रावधानों का कड़ाई से पालन किया जायेगा,
4. विस्फोटक नियम, 1983 के अधीन अनुज्ञप्त पर्याप्त संख्या में विस्फोटक वैन विमान पत्तन पर तैयार रखे जायेंगे जिससे कि विस्फोटकों को वायुयान से उसके उतरते ही शीघ्रता से हटाया जा सके,
5. वायुयान को विमानपत्तन पर दूरस्थ स्थान पर खड़ा किया जाएगा और विस्फोटकों का वायुयान से वैनों में अंतरण आरम्भ करने से पहले महानिदेशक, नागरिक विमानन के परामर्श से पर्याप्त संख्या में सुरक्षा गार्डों का प्रबन्ध कर वायुयान और विस्फोटक वैन के चारों ओर कम से कम 500 मीटर अंतर को घेर लिया जायेगा। इंतजाम तब तक जारी रहेगा जब तक कि अंतरण पूरा नहीं कर लिया जाता है और सम्यक रूप से वैन स्थल नहीं छोड़ देती है घेराबंद अंतर के अन्दर कोई धूम्रपान और खुली बत्ती के उपयोग की अनुमति नहीं दी जाएगी, और
6. उपर्युक्त विस्फोटकों को ले जा रही वैन विस्फोटक नियम 1983 के अधीन अनुज्ञात भण्डारकरण मैगजीन की ओर अग्रसर होगी और रास्ते में कोई अनुचित विलंब नहीं किया जायेगा और परिवहन के दौरान सभी सुसंगत नियमों और स्थानीय विनियमों का पालन किया जायेगा।

[फा.सं. 2/16/94-डोपोआर/ई जो जी एस]

ए.ई. अहमद, संयुक्त सचिव

NOTIFICATION

New Delhi, the 4th July, 1995

G.S.R. 535(E) :—In exercise of the powers conferred by sub-section 2 of section 14 of the Explosives Act, 1884 (4 of 1884), the Central Government hereby exempts M/s. Oil & Natural Gas Corpn. Ltd. Material Acquisition (Import) & planning Section, New Corporate Building, 4th Floor, North Block, Tel Bhavan, Dheradun from observance of rule 31(2) of the Explosives Rules 1983, for import of following explosives from M/s. Owen Oil Tools Inc., USA for use in Ahmedabad & Nazira.

FOR USE IN AHMEDABAD :

Description & IATA UN No./PT. No.	Qty.	Class or Division
(1)	(2)	(3)

CHARGES, SHAPED, COMMERCIAL :

1. Perf., 1—11/16" Sho gun Strip RDX 325 Deg. F 20000 PSI Abrasion Resistant Alloy Steel Case, PML (Pt. No. STP—1687—301) (UN No. 441/118)	15000 nos. (fifteen thousand)	1.4S
2. Perf. 4° TAG DP 19 gram 325 Deg. F 15000 PSI 9/SPF (Pt. HSC—4000—302) (UN No. 0441/118)	20000 nos. (twenty thousand)	1.4S

CARTRIDGES, POWER DEVICE :

3. Baker ≠ 20 Power Charge (Pt. No. 6000—000—070) (UN No. 0323/116)	50 nos. (fifty)	1.4S
4. IGNITERS Baker E-4 Ignitor Assy. (Pt. No. 6000—000—050) (UN No. 0454/158)	50 Nos. (fifty)	1.4S
5. Secondary Ignitor (Pt. No. 6000—000—060) (UN No. 0454/158)	50 nos. (fifty)	1.4S

FOR USE IN NAZIRA :

CHARGES, SHAPED, COMMERCIAL

1. Perf. 1—11—16" Sho gun Strip RDX 325 Deg. F. 20,000 PSI Abrasion Resistant Alloy Steel Case, PML (Pt. No. STP—1687—301) (UN No. 0441—118)	16000 nos. (sixteen thousand)	1.4S
2. Perf. 3 3/8" TAG Good Hole 325 Deg. F. 15000 PSI (Pt. HSC—4000—311 GH) (UN No. 0441/118)	3600 nos. (thirty six hundred)	1.4S

DETONATORS, ELECTRIC FOR BLASTING :

3. Detonator Assy. 400 Deg. F. 20000 PSI for Sho Gun charges (Resistorised) No Azide Tape (Pt. No. DET—3050—001) (UN No. 0456/130)	1000 nos. (one thousand)	1.4S
4. Detonator Assy G—21 (Pt. No. DET—3051—021) (UN No. 0456/130).	1100 nos. (eleven hundred)	1.4S

Subject to the following conditions :—

- (1) necessary clearance are obtained from the Director General Civil Aviation and International Airport Authority of India and condition if any, imposed by the above two authorities shall be strictly complied with;
- (2) the explosives conforming to Division 1.4 only shall be imported.
- (3) the relevant provisions relating to the possession, transport, use and import of explosives, as contained in the Explosives Rules, 1983, except sub-rule 2 of the rule 31 shall be strictly complied with;
- (4) adequate number of explosives vans licensed under the Explosives Rules, 1983, shall be kept ready at the airport so that the explosives can be removed from the aircraft after its landing expeditiously;
- (5) The aircraft shall be asparked at a remote place at the airport and an area of atleast 500 metres around the aircraft an explosives van shall be cordoned off by providing adequate number of security guards in consultation with the Director General of Civil Aviation before the transfer of explosives from aircraft to van is started. The arrangement shall continue till the transfer is completed and the van duly locked leaves the site;
No. smoking or use of naked light shall be permitted within the cordoned area, and;
- (6) the vans carrying above explosives shall proceed to the storage magazines licensed under the Explosives Rules, 1983, and no undue delay shall be made on the way and all relevant rules and local regulations shall be observed during the transport.

[F. No. 2/16/94-DPR/EGGS]

A.E. AHMAD, Jt. Secy.